

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/801,957	03/15/2004	Athanasios Athanasiou	ZTP01P14037	2354
24131 75	590 07/11/2005		EXAMINER	
LERNER AND GREENBERG, PA			JIANG, CHEN WEN	
P O BOX 2480				
HOLLYWOOD, FL 33022-2480			ART UNIT	PAPER NUMBER
·			3744	
			DATE MAILED: 07/11/2005	DATE MAILED: 07/11/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

W	
~	

	Application No.	Applicant(s)				
Office Action Community	10/801,957	ATHANASIOU ET AL.				
Office Action Summary	Examiner	Art Unit				
	Chen-Wen Jiang	3744				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1) Responsive to communication(s) filed on 05 M	<u>ay 2005</u> .	,				
	action is non-final.	-				
3) Since this application is in condition for allowance except for formal matters, prosecution as to the ments is						
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4)⊠ Claim(s) <u>1-14</u> is/are pending in the application.						
4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-14</u> is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or	8) Claim(s) are subject to restriction and/or election requirement.					
Application Papers						
9) The specification is objected to by the Examiner.						
10)⊠ The drawing(s) filed on <u>05 May 2005</u> is/are: a)⊠ accepted or b)□ objected to by the Examiner.						
Applicant may not request that any objection to the	drawing(s) be held in abeyance. See	e 37 CFR 1.85(a).				
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).						
a) ☑ All b) ☐ Some * c) ☐ None of:						
1. Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents have been received in Application No						
3 \(\sime\) Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list of the certified copies not received.						
The distance detailed enter detail for a list of the definited copies not received.						
Attachment(s)						
1) Notice of References Cited (PTO-892)	(PTO-413)					
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) Paper No(s)/Mail Date.						
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	5) Notice of Informal P 6) Other:	atent Application (PTO-152)				
U.S. Patent and Trademark Office	-,					
	tion Summary Pa	rt of Paper No./Mail Date 20050627				

Application/Control Number: 10/801,957

Art Unit: 3744

DETAILED ACTION

Page 2

Response to Arguments

1. Applicant's arguments filed 5/5/2005 have been fully considered but they are not persuasive. In response to applicant's argument that the invention is directed to cooling or heating of wine from a storage environment, a recitation of the intended use of the claimed invention must result in a structural difference between the claimed invention and the prior art in order to patentably distinguish the claimed invention from the prior art. If the prior art structure is capable of performing the intended use, then it meets the claim. In a claim drawn to a process of making, the intended use must result in a manipulative difference as compared to the prior art. See In re Casey, 370 F.2d 576, 152 USPQ 235 (CCPA 1967) and In re Otto, 312 F.2d 937, 939, 136 USPQ 458, 459 (CCPA 1963). However, in these circumstances, Gowan discloses wine storage apparatus to select a second preselected temperature, which may be the desired wine storage temperature, or may be a desired wine serving temperature. In response to applicant's argument that there is no suggestion to combine the references, the examiner recognizes that obviousness can only be established by combining or modifying the teachings of the prior art to produce the claimed invention where there is some teaching, suggestion, or motivation to do so found either in the references themselves or in the knowledge generally available to one of ordinary skill in the art. See In re Fine, 837 F.2d 1071, 5 USPQ2d 1596 (Fed. Cir. 1988) and In re Jones, 958 F.2d 347, 21 USPQ2d 1941 (Fed. Cir. 1992). In this case, the teaching is the controlled steps may have measurements controlled as disclosed either by Gowan or by Brimer et al. or prescribed stepwise course as disclosed by Brimer et al. to utilize on an environmental

Art Unit: 3744

controlled space. Both building compartment and refrigerator compartment are environmental controlled spaces.

Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. Claims 1-14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Gowan (U.S. Patent Number 5,343,712) in view of Brimer et al. (U.S. Patent Number 4,784,212).

In regard to claims 1-6 and 9, Gowan discloses a temperature controller for facilitating the storage of wine. Referring now to Figs. 1 and 2, a temperature controller 10 for converting a refrigeration unit 12 of the type including an electrically powered chiller 14, a chilled compartment 16, user actuated temperature selecting means, temperature display means 30 and a thermostat 18 for controlling operation of the chiller 14. During the cooling intervals, the temperature of the chilled compartment is lowered to the user-selected temperature in stages.

Fig. 3 illustrates the sensed temperature of a chilled compartment 16 versus time. The temperature controller may be used for wine storage temperature and wine serving temperature. However, Gowan does not disclose prescribed stages. Brimer et al. disclose prescribed constant rate in the same field of endeavor for the purpose of adjusting temperature stepwise. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to provide the apparatus of Gowan with a prescribed constant rate in view of Brimer et al. so as to adjust temperature in stages.

Art Unit: 3744

In regard to claims 7 and 8, it is not patentable, however, to discover the optimum of workable ranges of the cooling rate by routine experimentation. *In re Aller*, 220 F.2d 454, 456, 105 USPQ 233, 235 (CCPA 1955), MPEP Section 2144.05(IIA). Also, Gowan discloses the sensed temperature of the chilled compartment versus time and the cooling rate is about 0.7 K/h.

In regard to claims 10-14, it would have been obvious to one having ordinary skill in the art to have a heating/cooling temperature control system used on multiple compartments.

Conclusion

4. THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Chen-Wen Jiang whose telephone number is (571) 272-4809. The examiner can normally be reached on Tuesday-Friday from 8:00 to 6:30.

Art Unit: 3744

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Cheryl Tyler can be reached on (571) 272-4834. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Chen-Wen Jiang Primary Examiner